

Appi. No. 10/791,976  
Atty. Docket No. 9566  
Amdt. dated 14 August 2006  
Reply to Response to Amendment of 18 July 2006  
Customer No. 27752

### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A feminine hygiene product, comprising:
  - a) a tampon comprising an outer tampon perimeter, a withdrawal end opposed to an insertion end, said insertion end comprising a top portion and
  - b) a tampon applicator comprising a rupturable membranous cap permanently associated with a tampon holder tube,

said tampon holder tube comprising a hollow interior portion, an interior surface, an exterior surface, an outer perimeter, a longitudinal axis, a first end dimensioned for insertion into the vaginal cavity, and a second end positioned oppositely to said first end,

said tampon being housed in said tampon holder tube within said hollow interior portion of said tampon holder tube and substantially aligned with said longitudinal axis of said tampon holder tube in a pre-expelled position,

said rupturable membranous cap covering at least a portion of said insertion end of said tampon, whereby during expulsion of said tampon from said tampon holder tube, said tampon contacts said rupturable membranous cap, thereby reorienting said tampon into a direction substantially non-aligned to said longitudinal axis of said tampon holder tube.
2. (Original) The feminine hygiene product according to Claim 1 wherein said tampon comprises a fluid permeable bag and absorbent material loosely dispersed within said fluid permeable bag.
- 3-4. (Cancelled)
5. (Original) The feminine hygiene product according to Claim 1 wherein said tampon rotates during expulsion from said tampon applicator.

Appl. No. 10/791,976  
Atty. Docket No. 9566  
Amdt. dated 14 August 2006  
Reply to Response to Amendment of 18 July 2006  
Customer No. 27752

6. (Original) The feminine hygiene product according to Claim 1 wherein at least a portion of said tampon and at least a portion of said rupturable membranous cap rotate together during expulsion.
7. (Original) The feminine hygiene product according to Claim 1 wherein said tampon applicator further comprises a plunger being slidably mounted in said hollow interior portion of said tampon holder tube, said plunger being adapted to expel said tampon through said first end of said tampon holder tube.
8. (Currently Amended) The feminine hygiene product according to Claim 1 wherein before expulsion of said tampon, said rupturable membranous cap further comprises a region of rupture and the tampon holder tube further comprises a tampon holder tube region of rupture.
9. (Original) The feminine hygiene product according to Claim 8 wherein said region of rupture on said rupturable membranous cap and said tampon holder tube region of rupture on said tampon holder tube are in contact with one another before expulsion of said tampon.
10. (Original) The feminine hygiene product according to Claim 8 wherein said region of rupture on said rupturable membranous cap and said tampon holder tube region of rupture on said tampon holder tube have a configuration selected from a group consisting of C-shaped, conical, diagonal, arched, parabolic, round, and semi-spherical.
11. (Original) The feminine hygiene product according to Claim 8 wherein said region of rupture on said rupturable membranous cap and said tampon holder tube region of rupture on said tampon holder tube comprise perforations.
12. (Cancelled)

Appl. No. 10/791,976  
Atty. Docket No. 9566  
Amdt. dated 14 August 2006  
Reply to Response to Amendment of 18 July 2006  
Customer No. 27752

**AMENDMENTS TO THE DRAWINGS:**

The attached sheets of drawings includes changes to Fig. 1a, 1b, 2 and 5. These sheets, which include Fig. 1a, 1b, 2 and 5, replace the original sheets including Fig. 1a, 1b, 2 and 5.

In Figure 1a, reference number 21 with the dashed line has been removed and the line from reference number 20 has an arrowhead added to it.

In Figure 1b, a ridge has been added to the top view.

In Figure 2, reference number 26 has been changed from a bracket to a line and reference number 22 has been added to denote the longitudinal axis.

In Figure 5, reference number 15 has been changed to a bracket.

Attachment:

Replacement Sheets